

U.S.C.G. Auxiliary Eighth Western Rivers
Bridge Annual Night Verification/ Report Form
MISSOURI RIVER

BRDG
18-Feb-09

HERMANN HIGHWAY BRIDGE

LIGHT LIST: 2008

TYPE OF BRIDGE: Fixed Bridge

L.L. REMARKS: <http://www.modot.org/hermannbridge.htm>

MILE: **97.9**

LLNR: **20975**

L.L. DISCREPANCY:

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO
TO DETERMINE, REFER TO Light List. IF "NO", THEN STATE CORRECTIONS: _____

DISTRICT/OTHER REMARKS:

-- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED --

RDB MAIN CHANNEL PIER/MARGIN--> LAT.:

LONG.:

LDB MAIN CHANNEL PIER/MARGIN--> LAT.:

LONG.:

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

MODE:	
<input type="checkbox"/>	GPS or
<input type="checkbox"/>	GPS/ WAAS

ARE CLEARANCE GAUGE AND SIGNS READABLE? YES () or NO () **IF "NO" IS CHECKED ON ANY OF THESE QUESTIONS, THEN NAME IT AND DESCRIBE THE DISCREPANCY AS VIEWED FROM U/S OR D/S. BE SPECIFIC IN IDENTIFYING THE DISCREPANT LAMP, LENS, GAUGE, SIGN, RETROREFLECTIVE MATERIAL, OR ANYTHING ELSE OUT OF ORDER WITH RESPECT TO IT BEING EITHER RDB OR LDB, MAIN OR ALTERNATE CHANNEL, AND SO FORTH:**

DO ALL LAMPS APPEAR TO BE GOOD? YES () or NO ()

ARE ALL LAMPS IN FOCUS U/S AND D/S? YES () or NO ()

IS RETROREFLECTIVE MATERIAL IN PLACE? YES () or NO ()

DO FENDERS APPEAR TO BE IN GOOD SHAPE? YES () or NO ()

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G AUXILIARY

BRIDGE ANNUAL NIGHT VERIFICATION REPORT

LLNR: **20975** NAME: **HERMANN HIGHWAY BRIDGE**

WATCHING PROPERLY or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

DATE _____ TIME _____ OF OBSERVATION

VERIFIED BY: _____

(PRINT NAME)

DIV FLO

EIN

SIGNATURE: _____

SEND ORIGINAL REPORT TO: **U.S.C.G., DWRO(ob) 1222 SPRUCE STEET, ROOM 2.107-F; ST. LOUIS, MO 63103-2832**
COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

ADSO-E, Div 03, AOR "E"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Bridge Annual Night Verification/ Report Form
MISSOURI RIVER

BRDG
18-Feb-09

WASHINGTON BRIDGE

LIGHT LIST: 2008

TYPE OF BRIDGE: Fixed Bridge

L.L. REMARKS:

L.L. DISCREPANCY:

MILE: **67.6**

LLNR: **21125**

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO
TO DETERMINE, REFER TO Light List. IF "NO", THEN STATE CORRECTIONS: _____

DISTRICT/OTHER REMARKS:

-- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED --

RDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-33'-22.56" N

LONG.: 90°-59'-56.34" W

LDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-33'-26.22" N

LONG.: 90°-59'-53.46" W

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

MODE:	
<input type="checkbox"/>	GPS or
<input type="checkbox"/>	GPS/ WAAS

ARE CLEARANCE GAUGE AND SIGNS READABLE? YES () or NO () **IF "NO" IS CHECKED ON ANY OF THESE QUESTIONS, THEN NAME IT AND DESCRIBE THE DISCREPANCY AS VIEWED FROM U/S OR D/S. BE SPECIFIC IN IDENTIFYING THE DISCREPANT LAMP, LENS, GAUGE, SIGN, RETROREFLECTIVE MATERIAL, OR ANYTHING ELSE OUT OF ORDER WITH RESPECT TO IT BEING EITHER RDB OR LDB, MAIN OR ALTERNATE CHANNEL, AND SO FORTH:**

DO ALL LAMPS APPEAR TO BE GOOD? YES () or NO ()

ARE ALL LAMPS IN FOCUS U/S AND D/S? YES () or NO ()

IS RETROREFLECTIVE MATERIAL IN PLACE? YES () or NO ()

DO FENDERS APPEAR TO BE IN GOOD SHAPE? YES () or NO ()

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin
CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____
DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G AUXILIARY	BRIDGE ANNUAL NIGHT VERIFICATION REPORT
LLNR: 21125	NAME: WASHINGTON BRIDGE
<input type="checkbox"/> WATCHING PROPERLY or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
DATE _____	TIME _____ OF OBSERVATION
VERIFIED BY: _____	
(PRINT NAME)	DIV FLO EIN
SIGNATURE: _____	

SEND ORIGINAL REPORT TO: **U.S.C.G., DWRO(ob) 1222 SPRUCE STEET, ROOM 2.107-F; ST. LOUIS, MO 63103-2832**
COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

ADSO-E, Div 03, AOR "E"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Bridge Annual Night Verification/ Report Form
MISSOURI RIVER

BRDG
18-Feb-09

DANIEL BOONE DUAL BRIDGE
LIGHT LIST: 2008

MILE: **43.9**

TYPE OF BRIDGE: Fixed Bridge

LLNR: **21245**

L.L. REMARKS:

L.L. DISCREPANCY:

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO
TO DETERMINE, REFER TO Light List. IF "NO", THEN STATE CORRECTIONS: _____

DISTRICT/OTHER REMARKS:

-- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED --

RDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-41'-10.26" N LONG.: 90°-39'-43.80" W
LDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-41'-14.22" N LONG.: 90°-39'-44.70" W

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

MODE:	
<input type="checkbox"/>	GPS or
<input type="checkbox"/>	GPS/ WAAS

ARE CLEARANCE GAUGE AND SIGNS READABLE? YES () or NO () **IF "NO" IS CHECKED ON ANY OF THESE QUESTIONS, THEN NAME IT AND DESCRIBE THE DISCREPANCY AS VIEWED FROM U/S OR D/S. BE SPECIFIC IN IDENTIFYING THE DISCREPANT LAMP, LENS, GAUGE, SIGN, RETROREFLECTIVE MATERIAL, OR ANYTHING ELSE OUT OF ORDER WITH RESPECT TO IT BEING EITHER RDB OR LDB, MAIN OR ALTERNATE CHANNEL, AND SO FORTH:**

DO ALL LAMPS APPEAR TO BE GOOD? YES () or NO ()

ARE ALL LAMPS IN FOCUS U/S AND D/S? YES () or NO ()

IS RETROREFLECTIVE MATERIAL IN PLACE? YES () or NO ()

DO FENDERS APPEAR TO BE IN GOOD SHAPE? YES () or NO ()

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin
CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____
DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G AUXILIARY	BRIDGE ANNUAL NIGHT VERIFICATION REPORT
LLNR: 21245 NAME: DANIEL BOONE DUAL BRIDGE	
<input type="checkbox"/> WATCHING PROPERLY or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
DATE _____ TIME _____ OF OBSERVATION	
VERIFIED BY: _____	
(PRINT NAME)	DIV FLO EIN
SIGNATURE: _____	

SEND ORIGINAL REPORT TO: **U.S.C.G., DWRO(ob) 1222 SPRUCE STEET, ROOM 2.107-F; ST. LOUIS, MO 63103-2832**
COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

U.S.C.G. Auxiliary Eighth Western Rivers
Bridge Annual Night Verification/ Report Form
MISSOURI RIVER

BRDG
18-Feb-09

I-70 DUAL BRIDGES
LIGHT LIST: 2008

MILE: **29.6**
LLNR: **21315**

TYPE OF BRIDGE: Fixed Bridges (2)
L.L. REMARKS:

L.L. DISCREPANCY:

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO
TO DETERMINE, REFER TO Light List. IF "NO", THEN STATE CORRECTIONS: _____

DISTRICT/OTHER REMARKS:

-- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED --

RDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-45'-47.16" N LONG.: 90°-28'-52.08" W
LDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-45'-51.66" N LONG.: 90°-29'-00.84" W

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

MODE:	
<input type="checkbox"/>	GPS or
<input type="checkbox"/>	GPS/ WAAS

ARE CLEARANCE GAUGE AND SIGNS READABLE? YES () or NO () **IF "NO" IS CHECKED ON ANY OF THESE QUESTIONS, THEN NAME IT AND DESCRIBE THE DISCREPANCY AS VIEWED FROM U/S OR D/S. BE SPECIFIC IN IDENTIFYING THE DISCREPANT LAMP, LENS, GAUGE, SIGN, RETROREFLECTIVE MATERIAL, OR ANY-THING ELSE OUT OF ORDER WITH RESPECT TO IT BEING EITHER RDB OR LDB, MAIN OR ALTERNATE CHANNEL, AND SO FORTH:**

DO ALL LAMPS APPEAR TO BE GOOD? YES () or NO ()

ARE ALL LAMPS IN FOCUS U/S AND D/S? YES () or NO ()

IS RETROREFLECTIVE MATERIAL IN PLACE? YES () or NO ()

DO FENDERS APPEAR TO BE IN GOOD SHAPE? YES () or NO ()

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin
CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____
DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G AUXILIARY	BRIDGE ANNUAL NIGHT VERIFICATION REPORT
LLNR: 21315 NAME: I-70 DUAL BRIDGES	
<input type="checkbox"/> WATCHING PROPERLY or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
DATE _____ TIME _____ OF OBSERVATION	
VERIFIED BY: _____	
(PRINT NAME)	DIV FLO EIN
SIGNATURE: _____	

SEND ORIGINAL REPORT TO: **U.S.C.G., DWRO(ob) 1222 SPRUCE STEET, ROOM 2.107-F; ST. LOUIS, MO 63103-2832**
COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)
ADSO-E, Div 03, AOR "E" Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Bridge Annual Night Verification/ Report Form
MISSOURI RIVER

BRDG
18-Feb-09

DISCOVERY BRIDGE

LIGHT LIST: 2008

TYPE OF BRIDGE: Fixed Bridge

L.L. REMARKS:

L.L. DISCREPANCY:

MILE: **27.0**

LLNR: **21335**

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO
TO DETERMINE, REFER TO Light List. IF "NO", THEN STATE CORRECTIONS: _____

DISTRICT/OTHER REMARKS: (No Protection Fenders)

-- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED --

RDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-47'-53.16" N

LONG.: 90°-28'-03.30" W

LDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-47'-57.24" N

LONG.: 90°-28'-03.90" W

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

MODE:	
<input type="checkbox"/>	GPS or
<input type="checkbox"/>	GPS/ WAAS

ARE CLEARANCE GAUGE AND SIGNS READABLE? YES () or NO () **IF "NO" IS CHECKED ON ANY OF THESE QUESTIONS, THEN NAME IT AND DESCRIBE THE DISCREPANCY AS VIEWED FROM U/S OR D/S. BE SPECIFIC IN IDENTIFYING THE DISCREPANT LAMP, LENS, GAUGE, SIGN, RETROREFLECTIVE MATERIAL, OR ANYTHING ELSE OUT OF ORDER WITH RESPECT TO IT BEING EITHER RDB OR LDB, MAIN OR ALTERNATE CHANNEL, AND SO FORTH:**

DO ALL LAMPS APPEAR TO BE GOOD? YES () or NO ()

ARE ALL LAMPS IN FOCUS U/S AND D/S? YES () or NO ()

IS RETROREFLECTIVE MATERIAL IN PLACE? YES () or NO ()

DO FENDERS APPEAR TO BE IN GOOD SHAPE? YES () or NO ()

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G AUXILIARY

BRIDGE ANNUAL NIGHT VERIFICATION REPORT

LLNR: **21335** NAME: **DISCOVERY BRIDGE**

WATCHING PROPERLY or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

DATE _____ TIME _____ OF OBSERVATION

VERIFIED BY: _____

(PRINT NAME)

DIV FLO

EIN

SIGNATURE: _____

SEND ORIGINAL REPORT TO: **U.S.C.G., DWRO(ob) 1222 SPRUCE STEET, ROOM 2.107-F; ST. LOUIS, MO 63103-2832**
COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

ADSO-E, Div 03, AOR "E"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Bridge Annual Night Verification/ Report Form
MISSOURI RIVER

BRDG
18-Feb-09

WABASH RAILROAD BRIDGE
LIGHT LIST: 2008

MILE: **27.1**
LLNR: **21340**

TYPE OF BRIDGE: Fixed Bridge
L.L. REMARKS:

L.L. DISCREPANCY:

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO
TO DETERMINE, REFER TO Light List. IF "NO", THEN STATE CORRECTIONS: _____

DISTRICT/OTHER REMARKS:

-- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED --

RDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-47'-47.16" N LONG.: 90°-27'-56.58" W
LDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-47'-54.06" N LONG.: 90°-28'-07.74" W

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

MODE:
<input type="checkbox"/> GPS or
<input type="checkbox"/> GPS/ WAAS

ARE CLEARANCE GAUGE AND SIGNS READABLE? YES () or NO () **IF "NO" IS CHECKED ON ANY OF THESE QUESTIONS, THEN NAME IT AND DESCRIBE THE DISCREPANCY AS VIEWED FROM U/S OR D/S. BE SPECIFIC IN IDENTIFYING THE DISCREPANT LAMP, LENS, GAUGE, SIGN, RETROREFLECTIVE MATERIAL, OR ANYTHING ELSE OUT OF ORDER WITH RESPECT TO IT BEING EITHER RDB OR LDB, MAIN OR ALTERNATE CHANNEL, AND SO FORTH:**

DO ALL LAMPS APPEAR TO BE GOOD? YES () or NO ()

ARE ALL LAMPS IN FOCUS U/S AND D/S? YES () or NO ()

IS RETROREFLECTIVE MATERIAL IN PLACE? YES () or NO ()

DO FENDERS APPEAR TO BE IN GOOD SHAPE? YES () or NO ()

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin
CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____
DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G AUXILIARY	BRIDGE ANNUAL NIGHT VERIFICATION REPORT
LLNR: 21340 NAME: WABASH RAILROAD BRIDGE	
<input type="checkbox"/> WATCHING PROPERLY or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
VERIFIED BY: _____	DATE _____ TIME _____ OF OBSERVATION _____
(PRINT NAME)	DIV FLO EIN
SIGNATURE: _____	

SEND ORIGINAL REPORT TO: **U.S.C.G., DWRO(ob) 1222 SPRUCE STEET, ROOM 2.107-F; ST. LOUIS, MO 63103-2832**
COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

U.S.C.G. Auxiliary Eighth Western Rivers
Bridge Annual Night Verification/ Report Form
MISSOURI RIVER

BRDG
18-Feb-09

BURLINGTON NORTHERN BRIDGE
LIGHT LIST: 2008

MILE: **8.2**

TYPE OF BRIDGE: Fixed Bridge (Pref Chan)

LLNR: **21410**

L.L. REMARKS:

L.L. DISCREPANCY:

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO
TO DETERMINE, REFER TO Light List. IF "NO", THEN STATE CORRECTIONS: _____

DISTRICT/OTHER REMARKS:

-- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED --

RDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-50'-35.70" N LONG.: 90°-14'-11.00" W
LDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-50'-39.10" N LONG.: 90°-11'-09.30" W

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

MODE:	
<input type="checkbox"/>	GPS or
<input type="checkbox"/>	GPS/ WAAS

ARE CLEARANCE GAUGE AND SIGNS READABLE? YES () or NO () **IF "NO" IS CHECKED ON ANY OF THESE QUESTIONS, THEN NAME IT AND DESCRIBE THE DISCREPANCY AS VIEWED FROM U/S OR D/S. BE SPECIFIC IN IDENTIFYING THE DISCREPANT LAMP, LENS, GAUGE, SIGN, RETROREFLECTIVE MATERIAL, OR ANYTHING ELSE OUT OF ORDER WITH RESPECT TO IT BEING EITHER RDB OR LDB, MAIN OR ALTERNATE CHANNEL, AND SO FORTH:**

DO ALL LAMPS APPEAR TO BE GOOD? YES () or NO ()

ARE ALL LAMPS IN FOCUS U/S AND D/S? YES () or NO ()

IS RETROREFLECTIVE MATERIAL IN PLACE? YES () or NO ()

DO FENDERS APPEAR TO BE IN GOOD SHAPE? YES () or NO ()

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin
CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____
DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G AUXILIARY	BRIDGE ANNUAL NIGHT VERIFICATION REPORT
LLNR: 21410 NAME: BURLINGTON NORTHERN BRIDGE	
<input type="checkbox"/> WATCHING PROPERLY or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
DATE _____ TIME _____ OF OBSERVATION	
VERIFIED BY: _____	
(PRINT NAME)	DIV FLO EIN
SIGNATURE: _____	

SEND ORIGINAL REPORT TO: U.S.C.G., DWRO(ob) 1222 SPRUCE STEET, ROOM 2.107-F; ST. LOUIS, MO 63103-2832
COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)
ADSO-E, Div 03, AOR "E" Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Bridge Annual Night Verification/ Report Form
MISSOURI RIVER

BRDG
18-Feb-09

LEWIS (U.S. HWY 67) BRIDGE

LIGHT LIST: 2008

MILE: **8.2**

TYPE OF BRIDGE: Fixed Bridge (Pref Chan)

LLNR: **21415**

L.L. REMARKS:

L.L. DISCREPANCY:

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO
TO DETERMINE, REFER TO Light List. IF "NO", THEN STATE CORRECTIONS: _____

DISTRICT/OTHER REMARKS:

-- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED --

RDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-50'-37.00" N

LONG.: 90°-14'-04.80" W

LDB MAIN CHANNEL PIER/MARGIN--> LAT.: 38°-50'-33.90" N

LONG.: 90°-14'-06.50" W

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

MODE:	
<input type="checkbox"/>	GPS or
<input type="checkbox"/>	GPS/ WAAS

ARE CLEARANCE GAUGE AND SIGNS READABLE? YES () or NO () **IF "NO" IS CHECKED ON ANY OF THESE QUESTIONS, THEN NAME IT AND DESCRIBE THE DISCREPANCY AS VIEWED FROM U/S OR D/S. BE SPECIFIC IN IDENTIFYING THE DISCREPANT LAMP, LENS, GAUGE, SIGN, RETROREFLECTIVE MATERIAL, OR ANYTHING ELSE OUT OF ORDER WITH RESPECT TO IT BEING EITHER RDB OR LDB, MAIN OR ALTERNATE CHANNEL, AND SO FORTH:**

DO ALL LAMPS APPEAR TO BE GOOD? YES () or NO ()

ARE ALL LAMPS IN FOCUS U/S AND D/S? YES () or NO ()

IS RETROREFLECTIVE MATERIAL IN PLACE? YES () or NO ()

DO FENDERS APPEAR TO BE IN GOOD SHAPE? YES () or NO ()

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin
CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____
DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G AUXILIARY	BRIDGE ANNUAL NIGHT VERIFICATION REPORT
LLNR: 21415 NAME: LEWIS (U.S. HWY 67) BRIDGE	
<input type="checkbox"/> WATCHING PROPERLY or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
DATE _____ TIME _____ OF OBSERVATION	
VERIFIED BY: _____	
(PRINT NAME)	DIV FLO EIN
SIGNATURE: _____	

SEND ORIGINAL REPORT TO: **U.S.C.G., DWRO(ob) 1222 SPRUCE STEET, ROOM 2.107-F; ST. LOUIS, MO 63103-2832**
COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

ADSO-E, Div 03, AOR "E"

Revised 07/06