

U.S.C.G. Auxiliary Eighth Western Rivers  
Class I PATON Annual Night Verification Worksheet/Report Form  
UPPER MISSISSIPPI RIVER

13-Apr-11  
PRV2R

**JERSEY COUNTY GRAIN DOCK LIGHTS (2)**

MILE: **240.6**  
LLNR: **16100**  
ATONIS #: **504641**

LIGHT LIST 2010

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

STRUCTURE:

L.L. REMARKS: Private aids.

ATONIS, OTHER REMARKS: ATOP MOST U/S AND MOST D/S PILE CLUSTERS

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED  YES  or  NO TO DETERMINE, REFER TO ( <http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm> ). IF "NO", THEN STATE CORRECTION

**--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---**

VERIFY: LAT: 38°-59'-38.70" N

LONG: 90°-40'-55.62" W

MODE:  GPS  or  GPS/WAAS

*Coordinates listed above are per the Corps of Engineers Chart in WGS84*

LIGHT LIST CORRECT? Y / N \_\_\_\_\_

**U/S** LAMP TIMING CORRECT? Y / N 10 FLASHES PER \_\_\_\_\_ SECONDS  
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: \_\_\_\_\_ FLASHES PER \_\_\_\_\_ SECONDS

LAMP IS: ( ) GOOD ( ) DIM ( ) EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N \_\_\_\_\_

**D/S** LAMP TIMING CORRECT? Y / N 10 FLASHES PER \_\_\_\_\_ SECONDS  
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: \_\_\_\_\_ FLASHES PER \_\_\_\_\_ SECONDS

LAMP IS: ( ) GOOD ( ) DIM ( ) EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N \_\_\_\_\_

MODE OF OBSERVATION:  ON THE WATER, or  FROM A BRIDGE, or  ON SHORE, or  OTHER (Identify How In Right Margin)

CRITICAL  or  URGENT DISCREPANCY REPORTED VIA VHF  or  PHONE TO: \_\_\_\_\_

DATE REPORTED: \_\_\_\_\_ TIME REPORTED: \_\_\_\_\_

**U.S.C.G. AUXILIARY**

**CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT**

LLNR **16100** NAME: **JERSEY COUNTY GRAIN DOCK LIGHTS (2)**

WATCHING PROPERLY, or  DISCREPANT, AS NOTED ABOVE, or  AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504641 DATE OF OBSERVATION \_\_\_\_\_ TIME OF OBSERVATION \_\_\_\_\_

VERIFIED BY: \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_

(PRINT NAME)

DIV

FLO

EIN

Signature \_\_\_\_\_

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, Div 03, AOR "D"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers  
Class I PATON Annual Night Verification Worksheet/Report Form  
UPPER MISSISSIPPI RIVER

13-Apr-11  
PRV1R

**AmerenUE ElectricPlant Dock Unlisted**

MILE: **210.0**  
LLNR: **16203**  
ATONIS #:

LIGHT LIST 2010

BANK: **RDB** U/S: D/S: CHAR.: **FG**

STRUCTURE:

L.L. REMARKS:

ATONIS, OTHER REMARKS:

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED  YES  or  NO TO DETERMINE, REFER TO ( <http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm> ). IF "NO", THEN STATE CORRECTION

**--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---**

VERIFY: LAT: 38°-55'-12.60" N

LONG: 90°-17'-14.70" W

MODE:  GPS  or  GPS/WAAS

*Coordinates listed above are per the Corps of Engineers Chart in WGS84*

LIGHT LIST CORRECT? Y / N \_\_\_\_\_

LAMP TIMING CORRECT? Y / N 10 FLASHES PER \_\_\_\_\_ SECONDS  
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: \_\_\_\_\_ FLASHES PER \_\_\_\_\_ SECONDS

LAMP IS: ( ) GOOD ( ) DIM ( ) EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N \_\_\_\_\_

MODE OF OBSERVATION:  ON THE WATER, or  FROM A BRIDGE, or  ON SHORE, or  OTHER (Identify How In Right Margin)

CRITICAL  or  URGENT DISCREPANCY REPORTED VIA VHF  or  PHONE TO: \_\_\_\_\_

DATE REPORTED: \_\_\_\_\_ TIME REPORTED: \_\_\_\_\_

**U.S.C.G. AUXILIARY**

**CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT**

LLNR **16203** NAME: **AmerenUE ElectricPlant Dock Unlisted**

WATCHING PROPERLY, or  DISCREPANT, AS NOTED ABOVE, or  AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: \_\_\_\_\_ DATE OF OBSERVATION \_\_\_\_\_ TIME OF OBSERVATION \_\_\_\_\_

VERIFIED BY: \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_

(PRINT NAME)

DIV

FLO

EIN

Signature \_\_\_\_\_

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, Div 03, AOR "D"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers  
Class I PATON Annual Night Verification Worksheet/Report Form  
UPPER MISSISSIPPI RIVER

13-Apr-11  
PRV1R

**COMMODORE MEYER LIGHT**

LIGHT LIST 2010

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

STRUCTURE:

L.L. REMARKS: Private aid. Marks boat harbor & landing facility.

ATONIS, OTHER REMARKS: IN LIGHTHOUSE NEAR HARBOR ENTRANCE

MILE: **204.3**  
LLNR: **16215**  
ATONIS #: **504422**

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED  YES  or  NO TO DETERMINE, REFER TO ( <http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm> ). IF "NO", THEN STATE CORRECTION

**--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---**

VERIFY: LAT: 38°-53'-36.00" N

LONG: 90°-12'-48.00" W

MODE:  GPS  or  GPS/WAAS

*Coordinates listed above are per the Corps of Engineers Chart in WGS84*

LIGHT LIST CORRECT? Y / N \_\_\_\_\_

LAMP TIMING CORRECT? Y / N 10 FLASHES PER \_\_\_\_\_ SECONDS  
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: \_\_\_\_\_ FLASHES PER \_\_\_\_\_ SECONDS

LAMP IS: ( ) GOOD ( ) DIM ( ) EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N \_\_\_\_\_

MODE OF OBSERVATION:  ON THE WATER, or  FROM A BRIDGE, or  ON SHORE, or  OTHER (Identify How In Right Margin)

CRITICAL  or  URGENT DISCREPANCY REPORTED VIA VHF  or  PHONE TO: \_\_\_\_\_

DATE REPORTED: \_\_\_\_\_ TIME REPORTED: \_\_\_\_\_

**U.S.C.G. AUXILIARY**

**CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT**

LLNR **16215** NAME: **COMMODORE MEYER LIGHT**

WATCHING PROPERLY, or  DISCREPANT, AS NOTED ABOVE, or  AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504422 DATE OF OBSERVATION \_\_\_\_\_ TIME OF OBSERVATION \_\_\_\_\_

VERIFIED BY: \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_

(PRINT NAME)

DIV

FLO

EIN

Signature \_\_\_\_\_

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, Div 03, AOR "D"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers  
Class I PATON Annual Night Verification Worksheet/Report Form  
UPPER MISSISSIPPI RIVER

13-Apr-11  
PRV2L

**CON-AGRA MOORING LIGHTS (2)**

LIGHT LIST 2010

BANK: **LEFT** U/S: D/S: CHAR.: **Fl (2) R 6s**

STRUCTURE:

L.L. REMARKS: Private aids.

ATONIS, OTHER REMARKS: ATOP MOST U/S AND MOST D/S MOORING CELLS

MILE: **203.2**  
LLNR: **16220**  
ATONIS #: **504420**

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED  YES  or  NO TO DETERMINE, REFER TO ( <http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm> ). IF "NO", THEN STATE CORRECTION

**--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---**

VERIFY: LAT: 38°-53'-38.53" N

LONG: 90°-11'-26.70" W

MODE:  GPS  or  GPS/WAAS

*Coordinates listed above are per the Corps of Engineers Chart in WGS84*

LIGHT LIST CORRECT? Y / N \_\_\_\_\_

**U/S** LAMP TIMING CORRECT? Y / N 20 FLASHES PER \_\_\_\_\_ SECONDS  
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: \_\_\_\_\_ FLASHES PER \_\_\_\_\_ SECONDS

LAMP IS: ( ) GOOD ( ) DIM ( ) EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N \_\_\_\_\_

**D/S** LAMP TIMING CORRECT? Y / N 20 FLASHES PER \_\_\_\_\_ SECONDS  
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: \_\_\_\_\_ FLASHES PER \_\_\_\_\_ SECONDS

LAMP IS: ( ) GOOD ( ) DIM ( ) EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N \_\_\_\_\_

MODE OF OBSERVATION:  ON THE WATER, or  FROM A BRIDGE, or  ON SHORE, or  OTHER (Identify How In Right Margin)

CRITICAL  or  URGENT DISCREPANCY REPORTED VIA VHF  or  PHONE TO: \_\_\_\_\_

DATE REPORTED: \_\_\_\_\_ TIME REPORTED: \_\_\_\_\_

**U.S.C.G. AUXILIARY**

**CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT**

LLNR **16220** NAME: **CON-AGRA MOORING LIGHTS (2)**

WATCHING PROPERLY, or  DISCREPANT, AS NOTED ABOVE, or  AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504420 DATE OF OBSERVATION \_\_\_\_\_ TIME OF OBSERVATION \_\_\_\_\_

VERIFIED BY: \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_

(PRINT NAME)

DIV

FLO

EIN

Signature \_\_\_\_\_

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, Div 03, AOR "D"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers  
Class I PATON Annual Night Verification Worksheet/Report Form  
UPPER MISSISSIPPI RIVER

13-Apr-11  
PRV3L

**ALTON MARINA BREAKWATER LIGHTS (3)**

MILE: **202.4**

LIGHT LIST 2010 With Local Notice to Mariners Change: (29-02) MILE and REMARKS.

LLNR: **16230**

BANK: **LEFT** U/S: D/S: CHAR.: **FI (2) R 6s**

ATONIS #: **505962**

STRUCTURE:

L.L. REMARKS: Private aids. Located in close proximity to Clark Highway Bridge.

ATONIS, OTHER REMARKS: .

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED  YES  or  NO TO DETERMINE,  
REFER TO ( <http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm> ). IF "NO", THEN STATE CORRECTION

**--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---**

VERIFY: LAT: 38°-52'-59.94" N

LONG: 90°-10'-33.06" W

MODE:  GPS  or  GPS/ WAAS

*Coordinates listed above are per the Corps of Engineers Chart in WGS84*

LIGHT LIST CORRECT? Y / N \_\_\_\_\_

**U/S** LAMP TIMING CORRECT? Y / N 20 FLASHES PER \_\_\_\_\_ SECONDS  
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: \_\_\_\_\_ FLASHES PER \_\_\_\_\_ SECONDS

LAMP IS: ( ) GOOD ( ) DIM ( ) EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N \_\_\_\_\_

**MIDDLE** LAMP TIMING CORRECT? Y / N 20 FLASHES PER \_\_\_\_\_ SECONDS  
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: \_\_\_\_\_ FLASHES PER \_\_\_\_\_ SECONDS

LAMP IS: ( ) GOOD ( ) DIM ( ) EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N \_\_\_\_\_

**D/S** LAMP TIMING CORRECT? Y / N 20 FLASHES PER \_\_\_\_\_ SECONDS  
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: \_\_\_\_\_ FLASHES PER \_\_\_\_\_ SECONDS

LAMP IS: ( ) GOOD ( ) DIM ( ) EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N \_\_\_\_\_

MODE OF OBSERVATION:  ON THE WATER, or  FROM A BRIDGE, or  ON SHORE, or  OTHER (Identify How In Right Margin)

CRITICAL  or  URGENT DISCREPANCY REPORTED VIA VHF  or  PHONE TO: \_\_\_\_\_

DATE REPORTED: \_\_\_\_\_ TIME REPORTED: \_\_\_\_\_

**U.S.C.G. AUXILIARY**

**CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT**

LLNR **16230** NAME: **ALTON MARINA BREAKWATER LIGHTS (3)**

WATCHING PROPERLY, or  DISCREPANT, AS NOTED ABOVE, or  AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 505962 DATE OF OBSERVATION \_\_\_\_\_ TIME OF OBSERVATION \_\_\_\_\_

VERIFIED BY: \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_

(PRINT NAME)

DIV

FLO

EIN

Signature \_\_\_\_\_

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, Div 03, AOR "D"

Revised 07/06