

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

13-Apr-11
PRV1R

HUBINGER LANDING LIGHT

LIGHT LIST 2010

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ON RIVERWARD EXTENSION OF SHEET PILE CELL

MILE: **363.2**
LLNR: **15515**
ATONIS #: 504643

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in WGS84

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION: ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **15515** NAME: **HUBINGER LANDING LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504643 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, DIV 08, "AOR "F"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

13-Apr-11
PRV1R

ROQUETTE AMERICAN DOCK LIGHT

MILE: **362.3**
LLNR: **15520**
ATONIS #: 504462

LIGHT LIST 2010

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ATOP CENTER CELL. ** ATONIS Name = "ROQUETTE AMERICA LIGHT" **

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO TO DETERMINE,
REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in WGS84

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION: ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **15520** NAME: **ROQUETTE AMERICAN DOCK LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504462 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, DIV 08, "AOR "F"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

13-Apr-11
PRV1L

URSA FARMERS CO-OP DOCK LIGHT

MILE: **359.7**
LLNR: **15550**
ATONIS #: **504457**

LIGHT LIST 2010

BANK: **LEFT** U/S: D/S: CHAR.: **FI (2) R 6s**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ATOP MOST RIVERWARD EXTENSION OF CENTER OF DOCK

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in WGS84

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION: ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **15550** NAME: **URSA FARMERS CO-OP DOCK LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504457 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, DIV 08, "AOR "F"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

13-Apr-11
PRV2R

LOGSDON DOCK LIGHTS (2)

LIGHT LIST 2010

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

STRUCTURE:

L.L. REMARKS: Private aids.

ATONIS, OTHER REMARKS: ATOP U/S DOLPHIN AND ABOVE OUTBOARD END OF ELEVATED CONVEYOR

MILE: **353.0**
LLNR: **15580**
ATONIS #: **504455**

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in WGS84

LIGHT LIST CORRECT? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION: ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **15580** NAME: **LOGSDON DOCK LIGHTS (2)**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504455 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, DIV 08, "AOR "F"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

13-Apr-11
PRV1R

AYERS OIL COMPANY DOCK LIGHT

LIGHT LIST 2010

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ON RIVERWARD U/S EXTREMITY OF PIER

MILE: **342.6**
LLNR: **15620**
ATONIS #: 504454

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO TO DETERMINE,
REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: 40°-08'-06.54" N

LONG: 91°-30'-51.42" W

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in WGS84

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION: ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **15620** NAME: **AYERS OIL COMPANY DOCK LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504454 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, DIV 08, "AOR "F"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

13-Apr-11
PRV4R

BUNGE ELEVATOR DOCK LIGHTS (4)

MILE: **335.8**
LLNR: **15660**
ATONIS #: **504450**

LIGHT LIST 2010

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

STRUCTURE:

L.L. REMARKS: Private aids.

ATONIS, OTHER REMARKS: ATOP MOST U/S AND MOST D/S CELLS. ATOP U/S RIVERWARD SIDE OF CENTER CRIB,
AND ATOP D/S RIVERWARD SIDE OF....

Potential Light List Discrepancy: [Jun 2001] Reported showing six lights]

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO TO DETERMINE,
REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: 40°-02'-22.44" N

LONG: 91°-29'-48.72" W

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in WGS84

LIGHT LIST CORRECT? Y / N _____

MOST U/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MOST D/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

MODE OF OBSERVATION: ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **15660** NAME: **BUNGE ELEVATOR DOCK LIGHTS (4)**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504450 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, DIV 08, "AOR "F"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

13-Apr-11
PRV1L

WATER WORKS INTAKE LIGHT

MILE: **327.0**
LLNR: **15705**
ATONIS #: **504449**

LIGHT LIST 2010

BANK: **LEFT** U/S: D/S: CHAR.: **FI (2) R 6s**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ATOP U/S RIVERWARD CORNER OF EMERGENCY INTAKE STEEL SHEET PILING STRUCTURE.

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in WGS84

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION: ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **15705** NAME: **WATER WORKS INTAKE LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504449 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, DIV 08, "AOR "F"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

13-Apr-11
PRV2L

MOORMAN DOCK LIGHTS (2)

LIGHT LIST 2010

BANK: **LEFT** U/S: D/S: CHAR.: **Fl (2) R 6s**

STRUCTURE:

L.L. REMARKS:

ATONIS, OTHER REMARKS: ATOP MOST U/S CELL AND 100 FT NORTH OF MOST D/S PILING.

MILE: **326.5**
LLNR: **15715**
ATONIS #: **504447**

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO TO DETERMINE,
REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: 39°-55'-43.56" N

LONG: 91°-24'-55.08" W

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in WGS84

LIGHT LIST CORRECT? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION: ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **15715** NAME: **MOORMAN DOCK LIGHTS (2)**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504447 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, DIV 08, "AOR "F"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

13-Apr-11
PRV4L

QUINCY SOYBEAN DOCK LIGHTS (4)

MILE: **325.8**
LLNR: **15725**
ATONIS #: **504439**

LIGHT LIST 2010

BANK: **LEFT** U/S: D/S: CHAR.: **Fl (2) R 6s**

STRUCTURE:

L.L. REMARKS: Private aids.

ATONIS, OTHER REMARKS: ATOP MOST RIVERWARD EXTENSION OF MOST U/S AND D/S PILE CLUSTERS OF OIL
LOADING DOCK AT MILE 325.8 and 325.7

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATED YES or NO TO DETERMINE,
REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: 39°-54'-48.30" N

LONG: 91°-24'-57.30" W

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in WGS84

LIGHT LIST CORRECT? Y / N _____

MOST U/S LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MOST D/S LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

MODE OF OBSERVATION: ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **15725** NAME: **QUINCY SOYBEAN DOCK LIGHTS (4)**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504439 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-E, DIV 08, "AOR "F"

Revised 07/06