

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV1L

FULTON RIVER TERMINAL DOCK LIGHT

LIGHT LIST 2008 With Local Notice to Mariners Change: (31-00) ADDED TO LIGHT LIST, (32-00) CHAR.

BANK: **LEFT** U/S: D/S: CHAR.: **FI (2) R 6s**

STRUCTURE: On mooring cell.

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS:

MILE: **520.0**

LLNR: **14518**

ATONIS #: 505979

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **14518** NAME: **FULTON RIVER TERMINAL DOCK LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 505979 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV1R

MISSISSIPPI BELLE BARGE LIGHT

MILE: **518.4**

LIGHT LIST 2008

LLNR: **14520**

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

ATONIS #: **505858**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ATOP MOST RIVERWARD EXTENSION OF 86x28 FT BREASTING BARGE. SEASONAL --
MARCH 1 THRU DECEMBER 1.

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE,
REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: LONG: **MODE: GPS or GPS/ WAAS**

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY	CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT
LLNR 14520 NAME: MISSISSIPPI BELLE BARGE LIGHT	
<input type="checkbox"/> WATCHING PROPERLY, or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
ATONIS #: 505858	DATE OF OBSERVATION _____ TIME OF OBSERVATION _____
VERIFIED BY: _____	_____ - _____ - _____
(PRINT NAME)	DIV FLO EIN
Signature _____	

SEND ORIGINAL REPORT TO **CGC SCIOTO** (Address Listed in Auxiliary 8th WR District Directory)
COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV2R

CLINTON DOCK LIGHTS (2)

LIGHT LIST 2008 With Local Notice to Mariners Change: (23-02) REMARKS

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

STRUCTURE:

L.L. REMARKS: Private aids located on Beaver Slough.

ATONIS, OTHER REMARKS: ATOP DOLPHINS #1 AND #2

MILE: **517.6**

LLNR: **14540**

ATONIS #: **504645**

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE,
REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY	CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT
LLNR 14540 NAME: CLINTON DOCK LIGHTS (2)	
<input type="checkbox"/> WATCHING PROPERLY, or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
ATONIS #: 504645	DATE OF OBSERVATION _____ TIME OF OBSERVATION _____
VERIFIED BY: _____	_____ - _____ - _____
(PRINT NAME)	DIV FLO EIN
Signature _____	

SEND ORIGINAL REPORT TO **CGC SCIOTO**

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

ADSO-N, Div 09, AOR "C"

Revised 07/06

(Address Listed in Auxiliary 8th WR District Directory)

(Postal Delivery Acceptable)

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV2R

ADM CORN PROCESSING LIGHTS (2)

MILE: **517.6**

LIGHT LIST 2008 With Local Notice to Mariners Change: (23-02) REMARKS

LLNR: **14545**

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

ATONIS #: **504631**

STRUCTURE:

L.L. REMARKS: Private aids located on Beaver Slough.

ATONIS, OTHER REMARKS: ATOP MOST RIVERWARD EXTENSION OF MOST U/S AND MOST D/S DOLPHINS

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/ WAAS

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **14545** NAME: **ADM CORN PROCESSING LIGHTS (2)**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504631 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV3R

ADM CLINTON DOCK LIGHTS (3)

MILE: **515.5**

LIGHT LIST 2008 With Local Notice to Mariners Change: (23-02) AID NAME, REMARKS

LLNR: **14550**

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

ATONIS #: **504691**

STRUCTURE:

L.L. REMARKS: Private aids located on Beaver Slough.

ATONIS, OTHER REMARKS: ATOP MOST U/S AND MOST D/S MOORING CELLS AND ATOP CENTER LOADOUT CELL

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: LONG: **MODE: GPS or GPS/ WAAS**

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MIDDLE LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY	CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT
LLNR 14550 NAME: ADM CLINTON DOCK LIGHTS (3)	
<input type="checkbox"/> WATCHING PROPERLY, or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
ATONIS #: 504691 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____	
VERIFIED BY: _____	
(PRINT NAME)	DIV FLO EIN
Signature _____	

SEND ORIGINAL REPORT TO **CGC SCIOTO** (Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV1L

BUNGE DOCK LIGHT

LIGHT LIST 2008

BANK: **LEFT** U/S: D/S: CHAR.: **FI (2) R 6s**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ON RIVERWARD EXTREMITY OF CONVEYOR

MILE: **514.3**

LLNR: **14555**

ATONIS #: 504521

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: LONG: **MODE: GPS or GPS/ WAAS**

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY	CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT
LLNR 14555 NAME: BUNGE DOCK LIGHT	
<input type="checkbox"/> WATCHING PROPERLY, or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
ATONIS #: 504521	DATE OF OBSERVATION _____ TIME OF OBSERVATION _____
VERIFIED BY: _____	_____ - _____ - _____
(PRINT NAME)	DIV FLO EIN
Signature _____	

SEND ORIGINAL REPORT TO **CGC SCIOTO** (Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV3L

C.F. INDUSTRIES DOCK LIGHTS (3)

MILE: **509.5**
LLNR: **14590**
ATONIS #: **503954**

LIGHT LIST 2008

BANK: **LEFT** U/S: D/S: CHAR.: **FI (2) R 6s**

STRUCTURE:

L.L. REMARKS: Private aids.

ATONIS, OTHER REMARKS: ATOP MOST RIVERWARD EXTENSION OF MOST U/S AND MOST D/S PILE CLUSTERS AND ATOP CENTERMOST CLUSTER

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MIDDLE LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY	CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT
LLNR 14590 NAME: C.F. INDUSTRIES DOCK LIGHTS (3)	
<input type="checkbox"/> WATCHING PROPERLY, or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
ATONIS #: 503954	DATE OF OBSERVATION _____ TIME OF OBSERVATION _____
VERIFIED BY: _____	_____ - _____ - _____
(PRINT NAME)	DIV FLO EIN
Signature _____	

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV2L

WESTWAY TRADING LIGHTS (2)

MILE: **508.6**

LIGHT LIST 2008

LLNR: **14605**

BANK: **LEFT**

U/S:

D/S:

CHAR.: **FI (2) R 6s**

ATONIS #: **504519**

STRUCTURE:

L.L. REMARKS: Private aids.

ATONIS, OTHER REMARKS: ATOP MOST RIVERWARD EXTENSION OF MOST U/S AND MOST D/S PILE CLUSTERS

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/ WAAS

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY		CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT	
LLNR 14605	NAME: WESTWAY TRADING LIGHTS (2)		
<input type="checkbox"/> WATCHING PROPERLY, or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN			
ATONIS #: 504519	DATE OF OBSERVATION _____	TIME OF OBSERVATION _____	
VERIFIED BY: _____			
(PRINT NAME)	DIV	FLO	EIN
Signature _____			

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV1L

EXELON PIER LIGHT

LIGHT LIST 2008 With Local Notice to Mariners Change: (21-03) AID NAME CHANGED
BANK: **LEFT** U/S: D/S: CHAR.: **FI (2) R 6s**
STRUCTURE:
L.L. REMARKS: Private aid.
ATONIS, OTHER REMARKS: ON RIVERWARD EXTREMITY OF FACILITY

MILE: **506.8**
LLNR: **14615**
ATONIS #: 504518

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE,
REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: LONG: **MODE: GPS or GPS/ WAAS**

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **14615** NAME: **EXELON PIER LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504518 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV1R

CITGO DOCK LIGHT

LIGHT LIST 2008 With Local Notice to Mariners Change: (30-02) AID NAME

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ON U/S RIVERWARD CORNER OF CENTER MOORING CELL

MILE: **488.5**

LLNR: **14715**

ATONIS #: 504514

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT?

Y / N

LAMP TIMING CORRECT?

Y / N

10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT:

_____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED →

IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **14715** NAME: **CITGO DOCK LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504514

DATE OF OBSERVATION _____

TIME OF OBSERVATION _____

VERIFIED BY: _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV2R

KOCH REFINING LIGHTS (2)

MILE: **487.7**

LIGHT LIST 2008

LLNR: **14730**

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

ATONIS #: **504512**

STRUCTURE:

L.L. REMARKS: Private aids.

ATONIS, OTHER REMARKS: ATOP MOST RIVERWARD EXTENSION OF D/S LIMIT OF DOCKING FACILITY AND U/S LIMIT OF DOCKING FACILITY.

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: LONG: **MODE: GPS or GPS/ WAAS**

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY	CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT
LLNR 14730 NAME: KOCH REFINING LIGHTS (2)	
<input type="checkbox"/> WATCHING PROPERLY, or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
ATONIS #: 504512	DATE OF OBSERVATION _____ TIME OF OBSERVATION _____
VERIFIED BY: _____	_____ - _____ - _____
(PRINT NAME)	DIV FLO EIN
Signature _____	

SEND ORIGINAL REPORT TO **CGC SCIOTO** (Address Listed in Auxiliary 8th WR District Directory)
COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV1R

PHILLIPS PETROLEUM DOCK LIGHT

MILE: **487.2**

LIGHT LIST 2008

LLNR: **14735**

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

ATONIS #: **504511**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ON CENTER CELL

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: LONG: **MODE: GPS or GPS/ WAAS**

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **14735** NAME: **PHILLIPS PETROLEUM DOCK LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504511 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV1R

AMOCO DOCK LIGHT

LIGHT LIST 2008

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ON RIVERWARD CORNER OF PUMP HOUSE BUILDING ON CRIB "B" ** ATONIS Name
="AMOCO OIL DOCK LIGHT" **

MILE: **487.1**

LLNR: **14740**

ATONIS #: 504510

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES NO TO DETERMINE,
REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT?

Y / N

LAMP TIMING CORRECT?

Y / N

10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT:

_____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED →

IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **14740** NAME: **AMOCO DOCK LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504510 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV1R

CONTINENTAL CEMENT DOCK LIGHT

MILE: **486.8**

LIGHT LIST 2008

LLNR: **14745**

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

ATONIS #: **504506**

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ON RIVERWARD SIDE OF CENTER CELL

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT: LONG: **MODE: GPS or GPS/ WAAS**

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY	CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT
LLNR 14745 NAME: CONTINENTAL CEMENT DOCK LIGHT	
<input type="checkbox"/> WATCHING PROPERLY, or <input type="checkbox"/> DISCREPANT, AS NOTED ABOVE, or <input type="checkbox"/> AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN	
ATONIS #: 504506	DATE OF OBSERVATION _____ TIME OF OBSERVATION _____
VERIFIED BY: _____	_____ - _____ - _____
(PRINT NAME)	DIV FLO EIN
Signature _____	

SEND ORIGINAL REPORT TO **CGC SCIOTO** (Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN (Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV1L

SCHADLER RIVER EXCURSION LIGHT

MILE: **486.4**

LIGHT LIST 2008

LLNR: **14750**

BANK: **LEFT**

U/S:

D/S:

CHAR.: **FI (2) R 6s**

ATONIS #:

504505

STRUCTURE:

L.L. REMARKS: Private aid.

ATONIS, OTHER REMARKS: ATOP MOST RIVERWARD EXTENSION OF U/S MOORING CELL. SEASONAL AID -- 1 APRIL
THRU 15 NOVEMBER

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE,
REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/WAAS

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT?

Y / N

LAMP TIMING CORRECT?

Y / N

20 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT:

_____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED →

IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **14750** NAME: **SCHADLER RIVER EXCURSION LIGHT**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504505

DATE OF OBSERVATION _____

TIME OF OBSERVATION _____

VERIFIED BY: _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06

U.S.C.G. Auxiliary Eighth Western Rivers
Class I PATON Annual Night Verification Worksheet/Report Form
UPPER MISSISSIPPI RIVER

21-Jul-09
PRV2R

MARINA BREAKWATER LIGHTS (2)

MILE: **484.1**

LIGHT LIST 2008 With Local Notice to Mariners Change: 25-02) AID NAME

LLNR: **14785**

BANK: **RIGHT** U/S: D/S: CHAR.: **FI G 6s**

ATONIS #: **504502**

STRUCTURE:

L.L. REMARKS: Private aids.

ATONIS, OTHER REMARKS: ATOP MOST RIVERWARD EXTENSION OF MOST U/S BREAKWATER AND MOST D/S BREAKWATER.

DOES THE INFORMATION ABOVE AGREE WITH THE LIGHT LIST AS CURRENTLY UPDATE YES or NO TO DETERMINE, REFER TO (<http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm>). IF "NO", THEN STATE CORRECTION

--- SPECIFIC NIGHT VERIFICATION WORK TO BE ACCOMPLISHED ---

VERIFY: LAT:

LONG:

MODE: GPS or GPS/ WAAS

Coordinates listed above are per the Corps of Engineers Chart in NAD83.

LIGHT LIST CORRECT? Y / N _____

U/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

D/S LAMP TIMING CORRECT? Y / N 10 FLASHES PER _____ SECONDS
(Should be 57 to 63)

REPEAT IF TIMING IS INCORRECT: _____ FLASHES PER _____ SECONDS

LAMP IS: () GOOD () DIM () EXTINGUISHED → IF EXTINGUISHED, IS FIXTURE VISIBLE? Y / N

LAMP IS VISIBLE UPSTREAM AND DOWNSTREAM? Y / N _____

MODE OF OBSERVATION ON THE WATER, or FROM A BRIDGE, or ON SHORE, or OTHER (Identify How In Right Margin)

CRITICAL or URGENT DISCREPANCY REPORTED VIA VHF or PHONE TO: _____

DATE REPORTED: _____ TIME REPORTED: _____

U.S.C.G. AUXILIARY

CLASS I PATON ANNUAL NIGHT VERIFICATION REPORT

LLNR **14785** NAME: **MARINA BREAKWATER LIGHTS (2)**

WATCHING PROPERLY, or DISCREPANT, AS NOTED ABOVE, or AID COULD NOT BE LOCATED OR IDENTIFIED FOR CERTAIN

ATONIS #: 504502 DATE OF OBSERVATION _____ TIME OF OBSERVATION _____

VERIFIED BY: _____ - _____ - _____

(PRINT NAME)

DIV

FLO

EIN

Signature _____

SEND ORIGINAL REPORT TO **CGC SCIOTO**

(Address Listed in Auxiliary 8th WR District Directory)

COPIES TO: DSO-AN AND OTHERS AS DIRECTED BY YOUR SO-AN

(Postal Delivery Acceptable)

ADSO-N, Div 09, AOR "C"

Revised 07/06